

PACKAGE LEAFLET

CARBOSYLANE CHILD, capsule

Activated charcoal, simeticone

Read all of this leaflet carefully before you start taking this medicine because it contains important information for you.

Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.
- You must talk to a doctor if you do not feel better or if you feel worse.

Keep out of the reach of children

In this leaflet:

1. WHAT CARBOSYLANE CHILD, capsule IS AND WHEN IT IS USED FOR
2. WHAT YOU NEED TO KNOW BEFORE YOU TAKE CARBOSYLANE CHILD, capsule
3. HOW TO TAKE CARBOSYLANE CHILD, capsule
4. POSSIBLE SIDE EFFECTS
5. HOW TO STORE CARBOSYLANE CHILD, capsule
6. CONTENTS OF THE PACK AND OTHER INFORMATION

1. WHAT CARBOSYLANE CHILD, capsule IS AND WHEN IT IS USED FOR

Pharmacotherapeutic group: ANTIFLATULENT/ INTESTINAL ADSORBENT- ATC code: A07BA51

This medicine is indicated in children over 6 years of age for the symptomatic treatment of dyspeptic states (indigestion) and meteorism (intestinal distension).

2. WHAT YOU NEED TO KNOW BEFORE YOU TAKE CARBOSYLANE CHILD, capsule

Do not take CARBOSYLANE CHILD, capsule:

- if you are allergic (hypersensitive) to the actives substances or any of the other ingredients of this medicine listed in section 6.
- In children under 6 years of age due to the risk of choking.
- Bowel obstruction

Warnings and precautions

If your child takes digitalis-type drugs, allow an interval between taking CARBOSYLANE CHILD and digitalis-type drugs (more than 2 hours, if possible).

Talk to your doctor or pharmacist before taking CARBOSYLANE CHILD, capsule.

Other medicines and CARBOSYLANE CHILD, capsule

This medicine can reduce the uptake of other medicines, and these should therefore be administered at an interval from it.

Tell your doctor or pharmacist if you are taking, have recently taken or might take any other medicines.

Pregnancy and breast feeding

This medicine, under normal conditions of use, can be used occasionally during pregnancy and breast feeding.

If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your doctor or pharmacist for advice before taking this medicine.

3. HOW TO TAKE CARBOSYLANE CHILD, capsule

Always take this medicine exactly as your doctor or pharmacist has told you. Check with your doctor or pharmacist if you are not sure.

Posology

FOR CHILDREN OVER 6 YEARS OF AGE ONLY.

This medicine is presented in the form of a blue, gastro-soluble capsule (whose active substances are released in the stomach) and a red capsule (not degraded in the stomach).

The usual dosage is

- 2 doses daily for children aged 6 to 10 years
- 3 doses daily for children aged 10 to 15 years

Method of administration

Oral route.

Frequency of administration

The two capsules should preferably be taken at the same time, preferably at the start of the meal.

Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you. Check with your doctor or pharmacist if you are not sure.

If you take more CARBOSYLANE CHILD, capsule, than you should:

No case of overdose has been reported, however use of high dose levels can result in dark colouration of the stools.

Contact your doctor or pharmacist immediately.

If you have any further questions on the use of this medicine, ask your doctor or pharmacist.

4. POSSIBLE SIDE EFFECTS

Like all medicines, this medicine can cause side effects, although not everybody gets them:

- dark discolouration of the stools may occur.

Reporting of side effects:

If you get any side effect, talk to your doctor or your pharmacist or your nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the national reporting system: National Agency for safety of medicines and health products (ANSM) and network of the Regional Centers of Pharmacovigilance. Web site: www.signalement-sante.gouv.fr.

By reporting side effects, you can help provide more information on the safety of this medicine.

5. HOW TO STORE CARBOSYLANE CHILD, capsule

Keep this medicine out of the sight and reach of children.

No special storage conditions.

Do not use this medicine after the expiry date which is stated on the cardboard box after EXP. The expiry date refers to the last day of that month.

Medicines should not be disposed of via waste-water or household wastes. Ask your pharmacist how to dispose of medicines no longer required. These measures will help protect the environment.

6. CONTENTS OF THE PACK AND OTHER INFORMATION

What CARBOSYLANE CHILD, capsule contains

- The active substances are:

Gastro-soluble blue capsule

charcoal 70 mg
Simeticone 22.5 mg

For one N°4 capsule of 107.5 mg.

Gastro-resistant red capsule

charcoal 70 mg
Simeticone 22.5 mg

For one N°4 capsule of 107.5 mg.

- The other ingredients are:

Gastro-soluble blue capsule

Sorbitan oleate, polysorbate 80

Composition of the capsule shell : gelatin, indigotin (E132), sulphur dioxide, titanium dioxide (E171).

Gastro-resistant red capsule

Sorbitan oleate, polysorbate 80

Composition of the capsule shell : gelatin, erythrosine (E127), indigotin (E132), sulphur dioxide, titanium dioxide (E171).

Composition of the gastro-resistant coating: cellulose phthalate acetate, diethyl phthalate, methanol, methylene chloride.

What CARBOSYLANE CHILD, capsule looks like and contents of the pack

This medicine contains capsules. Box of 48 (or 24 doses) and 96 (or 48 doses).

Marketing Authorisation Holder:

Laboratoires GRIMBERG SA – 44 avenue Georges Pompidou – 92300 Levallois-Perret – France

Manufacturer:

Laboratoires GRIMBERG SA - ZA des Boutries - rue Vermont - 78704 Conflans Sainte Honorine cedex
France

This leaflet was last revised in August 2017.

Detailed information on this medicine is available on ANSM website (France)