

## PACKAGE LEAFLET

### SOLACY ADULT, capsule

**Read all of this leaflet carefully before you start using this medicine. It contains important information for your treatment**

If you have any further questions, if you have any doubt, ask your doctor or pharmacist

- . Keep this leaflet, you may need to read it again.
- . If you need further information and advice, please ask your pharmacist.
- . If symptoms worsen or persist, consult your doctor.
- . If you notice any side effects not listed in this leaflet or if any of the side effects gets serious, please tell your doctor or pharmacist.

#### **In this leaflet:**

1. WHAT IS SOLACY ADULT, capsule AND WHEN IS IT IS USED?
2. WHAT IS THE INFORMATION TO BE AWARE OF BEFORE USING SOLACY ADULT, capsule?
3. HOW TO USE SOLACY ADULT, capsule?
4. WHAT ARE THE POSSIBLE SIDE EFFECTS?
5. HOW TO STORE SOLACY ADULT, capsule?
6. FURTHER INFORMATION

#### **1. WHAT IS SOLACY ADULT, capsule AND WHEN IS IT USED?**

Trophic for the respiratory tract mucosa.

(R: respiratory system)

Symptomatic adjunctive treatment of rhinopharyngeal disorders in adults.

#### **2. WHAT IS THE INFORMATION TO BE AWARE OF BEFORE USING SOLACY ADULT, capsule?**

If your doctor informed you about intolerance to some sugars, contact him before using this medicine.

#### **Never use SOLACY ADULT, capsule:**

Hypersensitivity to any of the constituents.

**IF IN DOUBT, IT IS ESSENTIAL TO ASK YOUR DOCTOR OR PHARMACIST FOR ADVICE.**

#### **Take special care with SOLACY ADULT, capsule:**

##### **Special warnings**

This medicine contains vitamin A; other medicines contain it. Do not combine them in order not to exceed the maximum recommended dose (see section on dosage).

#### **Precautions for use**

Due to the presence of sucrose, this medicine is contra-indicated in patients with fructose intolerance (rare metabolic diseases).

**IF IN DOUBT, DO NOT HESITATE TO ASK YOUR DOCTOR OR PHARMACIST FOR ADVICE.**

### **Taking or using other medicines**

IN ORDER TO PREVENT POTENTIAL INTERACTIONS BETWEEN SEVERAL MEDICINES, ALWAYS TELL YOUR DOCTOR OR PHARMACIST OF ANY OTHER ONGOING TREATMENT.

### **Pregnancy and breast feeding**

For pregnant or breastfeeding women, given the daily dietary intake, it is recommended not to exceed a daily dose of 5000 IU of vitamin A brought by the medicines.

As a result, do not exceed the dosage recommended by your doctor.

Generally, ask your doctor or pharmacist for advice before taking any medicine.

**List of excipients with known effect:** Sucrose

### **3. HOW TO USE SOLACY ADULT, capsule?**

#### **Posology**

FOR ADULT ONLY.

3 capsules daily for 3 months.

#### **Method and route of administration**

ORAL ROUTE.

Swallow the capsules with a glass of water, preferably during a meal.

#### **If you used more SOLACY ADULT, capsule, than you should have:**

In case of erroneous intake of an excessive dose, signs of vitamin A overdose may occur. Consult your doctor.

### **4. WHAT ARE THE POSSIBLE SIDE EFFECTS?**

Like all medicines, SOLACY ADULT, capsule can cause side effects, although not everybody gets them:

Some cutaneous reactions have been reported.

#### Statement of the side effects:

If you feel any adverse effect, tell it to your doctor or your pharmacist or your nurse. This also applies to any adverse effect which would not be mentioned in this leaflet. You can also declare adverse effects directly via the national system of statement: the National Agency for safety of medicines and health products (Ansm) and the Regional Centers of Pharmacovigilance. The web site: [www.ansm.sante.fr](http://www.ansm.sante.fr). By reporting the adverse events, you contribute to supply more information on the medicine safety.

### **5. HOW TO STORE SOLACY ADULT, capsule?**

Keep out of the reach and sight of children.

Do not use SOLACY ADULT, capsule, after the expiry date which is stated on the outer packaging.

Store at temperature not exceeding 30°C.

Medicines should not be disposed of via waste-water or household wastes. Ask your pharmacist how to dispose of medicines no longer used . These measures will help protect the environment.

## 6. FURTHER INFORMATION

**What does SOLACY ADULT, capsule, contain?**

**The active substances are:**

L-Cystine.....	72.6 mg
Precipitated sulphur.....	22.0 mg
Coated vitamin A acetate quantity equivalent to retinol .....	1650 IU
Saccharomyces cerevisiae yeast.....	77.4 mg

Per a capsule

**The other ingredients are:**

Magnesium stearate, gelatin, titanium dioxide (E 171), antioxidant (BHT), sucrose, maize starch.

**What is SOLACY ADULT, capsule and contents of the outer pack?**

This medicine contains capsules. Box of 45 and 90 capsules.

**Marketing Authorisation Holder / operating company:**

Laboratoires GRIMBERG - 19, rue Poliveau - 75005 Paris - FRANCE

**Manufacturer:**

Laboratoires GRIMBERG - ZA des Boutries - 5, rue Vermont - 78700 Conflans Sainte Honorine  
CEDEX - FRANCE

This leaflet was last approved on **13 January 2012**.